

CTI 华测检测



161412340461



A2240582112102C01

1

79



No.448135D89E



A2240582112102C01



2

79



1



2

CMA



3



4



5

/

6

7

8

10

666

330052

0791-82076085

0791-82076185

0791-82075589

侯文玲

李雅静

钟杰

2024/12/12

A2240582112102C01

3

79

1

2024-10-24			2024-10-24~2024-10-30			
					GB 8978-1996	
					4	
					50	
					20	mg/L
8		8	8	8		
5.8		6.0	7.4	6.4		

GB 21900-2008

2



A2240582112102C01



4



79




A2240582112102C01

5

79

2


2024-10-24			2024-10-24~2024-10-28			
					GB 21900-2008 2	
0.01		ND	ND	ND	0.5	mg/L
						

A2240582112102C01


6

79

3

2024-10-24			2024-10-24~2024-10-28			
					GB 21900-2008	
					2	
	3.2×10^{-4}	1.5×10^{-4}	1.9×10^{-4}	2.2×10^{-4}	0.3	mg/L
 <p>经度: 115.098739 纬度: 27.266634</p>						


5

		1-1#			15m	
		2024-10-21			2024-10-21~2024-11-02	
						GB 21900-2008 5
	mg/m ³	0.52	0.31	0.56	0.46	30
	kg/h	6.08×10 ⁻³	3.88×10 ⁻³	6.99×10 ⁻³	5.65×10 ⁻³	---
	mg/m ³	0.44	0.53	0.36	0.44	30
	kg/h	5.14×10 ⁻³	6.63×10 ⁻³	4.49×10 ⁻³	5.42×10 ⁻³	---
	%	3.78	3.61	3.72	3.70	---
	m ³ /h	11684	12502	12483	12223	---
	m/s	5.8	6.2	6.2	6.1	---
		24.2	24.3	24.3	24.3	---
						

6

	1-2#	15m
	2024-10-21	2024-10-21~2024-10-26

						GB 16297-1996 2
	mg/m ³	0.73	0.82	0.58	0.71	120
	kg/h	0.0182	0.0189	0.0134	0.0168	10
						DB12/ 524- 2020 1
VOCs 24	mg/m ³	0.179	0.0410	0.0700	0.0967	40
	kg/h	4.46×10 ⁻³	9.47×10 ⁻⁴	1.62×10 ⁻³	2.34×10 ⁻³	1.2
	%	2.85	2.83	2.82	2.83	---
	m ³ /h	24928	23106	23106	23713	---
	m/s	13.7	12.7	12.7	13.0	---
		23.0	23.0	23.0	23.0	---






A2240582112102C01



10



7

	1-3#	15m
	2024-10-21	2024-10-21~2024-10-26

						GB 16297-1996 2
	mg/m ³	0.44	0.51	0.53	0.49	120
	kg/h	7.89×10 ⁻³	9.15×10 ⁻³	9.41×10 ⁻³	8.82×10 ⁻³	10
						DB12/ 524- 2020 1
VOCs 24	mg/m ³	0.0510	0.0780	0.0700	0.0663	40
	kg/h	9.14×10 ⁻⁴	1.40×10 ⁻³	1.24×10 ⁻³	1.18×10 ⁻³	1.2
	%	2.97	2.97	2.99	2.98	---
	m ³ /h	17929	17933	17748	17870	---
	m/s	9.9	9.9	9.8	9.9	---
		23.8	23.7	23.7	23.7	---






A2240582112102C01



12



79



8

1-4#		3			15m	
2024-10-21					2024-10-21~2024-11-02	
						GB 16297-1996 2
	mg/m ³	4.46×10 ⁻⁴	3.73×10 ⁻⁴	5.04×10 ⁻⁴	4.41×10 ⁻⁴	8.5
	kg/h	6.92×10 ⁻⁶	6.13×10 ⁻⁶	8.60×10 ⁻⁶	7.22×10 ⁻⁶	0.31
						GB 21900-2008 5
	mg/m ³	19	17	18	18	200
	kg/h	0.335	0.274	0.318	0.197	---
	mg/m ³	0.42	0.53	0.49	0.48	30
	kg/h	7.41×10 ⁻³	8.55×10 ⁻³	8.66×10 ⁻³	8.21×10 ⁻³	---
	%	2.94	2.96	2.87	2.92	---

m³h

17652

16127

17665

17148



A2240582112102C01



14



79





A2240582112102C01



15



79

9



1-5#



10

1-7		2			15m	
2024-10-21				2024-10-21~2024-11-02		
GB 21900-2008 5						
	mg/m ³	3	ND	ND	ND	200
	kg/h	0.0428	/	/	/	---
	mg/m ³	0.47	0.46	0.36	0.43	30
	kg/h	6.71×10 ⁻³	7.22×10 ⁻³	5.51×10 ⁻³	6.48×10 ⁻³	---
	%	2.94	3.51	2.86	3.10	---
	m ³ /h	14273	15696	15318	15096	---
	m/s	7.0	7.7	7.5	7.4	---
		21.6	21.4	21.4	21.5	---



经度: 115.098463
 纬度: 27.268379
 时间: 2024-10-21 16:22:05
 备注: 1-7#板电2线 前后处理后采样点

11

1-8#		1			15m	
2024-10-22				2024-10-22~2024-11-02		
GB 21900-2008 5						
	mg/m ³	ND	ND	ND	ND	200
	kg/h	/	/	/	/	---
	mg/m ³	0.31	0.40	0.35	0.35	30
	kg/h	5.21×10 ⁻³	6.72×10 ⁻³	6.02×10 ⁻³	5.98×10 ⁻³	---
	%	2.85	2.89	2.90	2.88	---
	m ³ /h	16805	16792	17206	16934	---
	m/s	8.3	8.3	8.5	8.4	---
		26.0	26.2	26.0	26.1	---



13

1-10#						
1			2		15m	
2024-10-23				2024-10-23~2024-11-03		
						GB 16297-1996 2
	mg/m ³	0.6	0.6	0.6	0.6	25
	kg/h	0.0100	0.0102	9.43×10 ⁻³	9.88×10 ⁻³	0.26
						GB 21900-2008 5
	mg/m ³	0.39	0.47	0.27	0.38	30
	kg/h	6.55×10 ⁻³	7.71×10 ⁻³	4.48×10 ⁻³	6.25×10 ⁻³	---
	%	2.90	2.94	2.94	2.93	---
	m ³ /h	16800	16400	16599	16600	---
	m/s	8.2	8.0	8.1	8.1	---
		22.4	22.1	22.2	22.2	---



CTI 检测过程
 时间: 2024.10.23 16:29
 地点: 吉水县·景旺电子
 经纬度: 27.268240°N, 115.098717°E
 采样点名称: 1-10#沉铜1线、2条前后处理采样点

今日水印
 水印 [5] [1] [2]
 水印 [15] [20] [25]

14

		1-11# 1			15m	
		2024-10-22			2024-10-22~2024-11-03	
						GB 16297-1996 2
	mg/m ³	9.71×10 ⁻⁴	7.10×10 ⁻⁴	1.71×10 ⁻³	1.13×10 ⁻³	8.5
	kg/h	2.44×10 ⁻⁵	1.80×10 ⁻⁵	4.34×10 ⁻⁵	2.86×10 ⁻⁵	0.31
						GB 21900-2008 5
	mg/m ³	10	10	11	10	200
	kg/h	0.248	0.254	0.276	0.259	---
	mg/m ³	0.47	0.56	0.33	0.45	30
	kg/h	0.0117	0.0142	8.28×10 ⁻³	0.0114	---
	%	2.99	2.97	2.99	2.98	---




A2240582112102C01



21



79





A2240582112102C01




22



79

15



1-






A2240582112102C01



23



79



16

		1-13# 16			15m	
		2024-10-22			2024-10-22~2024-10-26	
						GB 16297-1996 2
	mg/m ³	0.60	0.40	0.19	0.40	120
	kg/h	0.0164	0.0108	5.21×10 ⁻³	0.0108	10
						DB12/ 524- 2020 1
VOCs 24	mg/m ³	0.0450	0.0260	0.0440	0.0383	40
	kg/h	1.22×10 ⁻³	7.04×10 ⁻⁴	1.21×10 ⁻³	1.04×10 ⁻³	1.2
	%	4.09	4.21	4.31	4.20	---
	m ³ /h	27116	27064	27397	27192	---
	m/s	13.6	13.6	13.8	13.7	---
		27.0	27.2	27.6	27.3	---

17


		1-14#		16		15m
		2				
		2024-10-22				2024-10-22~2024-10-26
GB 16297-1996 2						
	mg/m ³	0.66	0.80	0.84	0.77	120
	kg/h	5.14×10 ⁻³	6.23×10 ⁻³	6.19×10 ⁻³	5.85×10 ⁻³	10
DB12/524-2020 1						
VOCs 24	mg/m ³	0.542	3.07	2.22	1.94	40
	kg/h	4.22×10 ⁻³	0.0239	0.0164	0.0148	1.2
	%	2.30	2.37	2.42	2.36	---
	m ³ /h	7795	7784	7365	7648	---
	m/s	3.8	3.8	3.6	3.7	---
		23.2	23.4	23.6	23.4	---






A2240582112102C01



26



79






A2240582112102C01



27



79



A2240582112102C01

28

79


19

		1-16#			15m	
		2024-10-22			2024-10-22~2024-10-26	
						GB 16297-1996 2
	mg/m ³	0.56	0.21	0.34	0.37	120
	kg/h	8.89×10 ⁻³	3.41×10 ⁻³	5.48×10 ⁻³	5.93×10 ⁻³	10
						DB12/ 524- 2020 1

VOCs
24

mg/m³ 0.111 0.162 0.190 0.154

20


		1-17#			15m	
		2024-10-23			2024-10-23~2024-11-03	
GB 21900-2008 5						
	mg/m ³	0.73	0.75	1.74	1.07	30
	kg/h	0.0106	0.0111	0.0248	0.0155	---
	mg/m ³	0.57	0.35	0.36	0.43	30
	kg/h	8.24×10 ⁻³	5.19×10 ⁻³	5.14×10 ⁻³	6.19×10 ⁻³	---
	%	2.86	2.84	2.88	2.86	---
	m ³ /h	14460	14824	14281	14522	---
	m/s	8.0	8.2	7.9	8.0	---
		26.0	26.0	25.8	25.9	---
						

A2240582112102C01

30

79

21


1-18#		15m				
2024-10-23		2024-10-23~2024-11-03				
						GB 21900-2008 5
	mg/m ³	0.54	0.31	ND	0.28	30
	kg/h	3.43×10 ⁻³	2.06×10 ⁻³	/	1.83×10 ⁻³	---
	%	3.74	3.41	3.14	3.43	---
	m ³ /h	6361	6661	6832	6618	---
	m/s	7.1	7.4	7.5	7.3	---
		21.3	21.0	20.8	21.0	---
						

22

1-19#							25m
2024-10-21				2024-10-21~2024-10-26			
GB 16297-1996 2							
	mg/m ³	1.39	1.16	1.01	1.19	120	
	kg/h	9.64×10 ⁻³	8.03×10 ⁻³	6.68×10 ⁻³	8.12×10 ⁻³	35.0	
DB12/ 524- 2020 1							
VOCs 24	mg/m ³	0.0310	0.0360	0.0720	0.0463	40	
	kg/h	2.15×10 ⁻⁴	2.49×10 ⁻⁴	4.76×10 ⁻⁴	3.13×10 ⁻⁴	7.65	
	%	2.96	3.10	3.09	3.05	---	
	m ³ /h	6938	6920	6616	6825	---	
	m/s	9.1	9.1	8.7	9.0	---	
		22.9	23.1	23.0	23.0	---	



23

		1-20#			15m	
		2024-10-23			2024-10-23~2024-10-25	
						GB 16297-1996 2
	mg/m ³	<20	<20	<20	<20	120
	kg/h	/	/	/	/	3.5
	%	3.94	4.10	4.35	4.13	---
	m ³ /h	20962	21209	21717	21296	---
	m/s	9.7	9.8	10.1	9.9	---
		34.2	33.8	33.1	33.7	---
						

A2240582112102C01

33

79

24

		1-21#			15m	
		2024-10-23			2024-10-23~2024-11-04	
						GB 14554-1993 2
	mg/m ³	1.16	2.74	2.97	2.29	---
	kg/h	0.0137	0.0332	0.0345	0.0271	4.9
						GB 21900-2008 5
	mg/m ³	ND	24	36	20	200
	kg/h	/	0.289	0.425	0.238	---
	mg/m ³	2.38	1.44	0.85	1.56	30
	kg/h	0.0282	0.0173	0.0100	0.0185	---
	mg/m ³	0.31	0.31			



A2240582112102C01



34



79





A2240582112102C01



35



25






A2240582112102C01



36



79



A2240582112102C01

37

79

26


		1-25#			15m	
		2024-10-22			2024-10-22~2024-10-26	
						GB 16297-1996 2
	mg/m ³	0.44	0.37	0.40	0.40	120
	kg/h	0.0136	0.0112	0.0123	0.0124	10
						DB12/ 524- 2020 1
VOCs 24	mg/m ³	0.0750	0.0150	0.0510	0.0470	40
	kg/h	2.28×10 ⁻³	4.55×10 ⁻⁴	1.57×10 ⁻³	1.44×10 ⁻³	1.2
	%	3.70	3.59	3.60	3.63	---
	m ³ /h	30466	30330	30740	30512	---
	m/s	15.4	15.3	15.5	15.4	---
		30.7	30.4	30.2	30.4	---



A2240582112102C01



38



79



27

	1-26#	15m
	2024-10-23	2024-10-23~2024-11-04

						GB 21900-2008 5
	mg/m ³	ND	4	ND	ND	200
	kg/h	/	0.0409	/	/	---
	mg/m ³	0.64	3.48	5.23	3.12	30
	kg/h	6.57×10 ⁻³	0.0356	0.0548	0.0323	---
	mg/m ³	1.41	0.48	0.53	0.81	30
	kg/h	0.0145	4.91×10 ⁻³	5.55×10 ⁻³	8.32×10 ⁻³	---
	%	2.87	2.90	2.88	2.88	---
	m ³ /h	10272	10223	10477	10324	---
	m/s	13.4	13.3	13.6	13.4	---
		21.9	20.8	20.2	21.0	---





A2240582112102C01



40



79

28



1-27#

15m



A2240582112102C01

41

79

29


1-28#		15m				
2024-10-21		2024-10-21~2024-10-26				
GB 16297-1996 2						
mg/m ³		0.51	0.56	0.55	0.54	120



A2240582112102C01



42



79





31

		1-30#			15m	
		2024-10-22			2024-10-22~2024-11-04	
						GB 16297-1996 2
	mg/m ³	1.40×10 ⁻³	1.02×10 ⁻³	1.53×10 ⁻³	1.32×10 ⁻³	8.5
	kg/h	1.27×10 ⁻⁵	9.42×10 ⁻⁶	1.31×10 ⁻⁵	1.17×10 ⁻⁵	0.31
						GB 21900-2008 5
	mg/m ³	0.41	0.57	0.52	0.50	30




A2240582112102C01



45



79





A2240582112102C01




46



79

32



2024-






A2240582112102C01



47



79



34

		3-5#			25m	
		2024-10-25			2024-10-25~2024-10-29	
						GB 16297-1996 2
	mg/m ³	0.42	0.37	0.40	0.40	120
	kg/h	4.58×10 ⁻³	4.37×10 ⁻³	4.65×10 ⁻³	4.53×10 ⁻³	35.0
						DB12/ 524- 2020 1
VOCs 24	mg/m ³	0.206	0.0450	0.175	0.142	40
	kg/h	2.25×10 ⁻³	5.31×10 ⁻⁴	2.03×10 ⁻³	1.60×10 ⁻³	7.65
	%	3.28	3.31	3.34	3.31	---
	m ³ /h	10912	11806	11621	11446	---
	m/s	6.1	6.6	6.5	6.4	---
		25.4	25.3	25.3	25.3	---




时间: 2024.10.25 14:25
地点: 吉安市-景旺电子

A2240582112102C01

49

79

35

3-6#						25m																																																								
2024-10-24						2024-10-24~2024-10-29																																																								
<table border="1" style="width: 100%; height: 100%;"> <tr> <td colspan="2"></td> <td colspan="4"></td> <td style="text-align: center;">GB 16297-1996 2</td> </tr> <tr> <td colspan="2" style="text-align: center;">mg/m³</td> <td style="text-align: center;"><20</td> <td style="text-align: center;"><20</td> <td style="text-align: center;"><20</td> <td style="text-align: center;"><20</td> <td style="text-align: center;">120</td> </tr> <tr> <td colspan="2" style="text-align: center;">kg/h</td> <td style="text-align: center;">/</td> <td style="text-align: center;">/</td> <td style="text-align: center;">/</td> <td style="text-align: center;">/</td> <td style="text-align: center;">14.5</td> </tr> <tr> <td colspan="7" style="background-color: #cccccc;"> <table border="1" style="width: 100%; height: 100%;"> <tr> <td colspan="2" style="text-align: center;">%</td> <td style="text-align: center;">2.77</td> <td style="text-align: center;">2.80</td> <td style="text-align: center;">2.78</td> <td style="text-align: center;">2.78</td> <td style="text-align: center;">---</td> </tr> <tr> <td colspan="2" style="text-align: center;">m³/h</td> <td style="text-align: center;">6754</td> <td style="text-align: center;">7014</td> <td style="text-align: center;">6771</td> <td style="text-align: center;">6846</td> <td style="text-align: center;">---</td> </tr> <tr> <td colspan="2" style="text-align: center;">m/s</td> <td style="text-align: center;">2.7</td> <td style="text-align: center;">2.8</td> <td style="text-align: center;">2.7</td> <td style="text-align: center;">2.7</td> <td style="text-align: center;">---</td> </tr> <tr> <td colspan="2"></td> <td style="text-align: center;">24.1</td> <td style="text-align: center;">23.6</td> <td style="text-align: center;">23.4</td> <td style="text-align: center;">23.7</td> <td style="text-align: center;">---</td> </tr> </table> </td> </tr> </table>													GB 16297-1996 2	mg/m ³		<20	<20	<20	<20	120	kg/h		/	/	/	/	14.5	<table border="1" style="width: 100%; height: 100%;"> <tr> <td colspan="2" style="text-align: center;">%</td> <td style="text-align: center;">2.77</td> <td style="text-align: center;">2.80</td> <td style="text-align: center;">2.78</td> <td style="text-align: center;">2.78</td> <td style="text-align: center;">---</td> </tr> <tr> <td colspan="2" style="text-align: center;">m³/h</td> <td style="text-align: center;">6754</td> <td style="text-align: center;">7014</td> <td style="text-align: center;">6771</td> <td style="text-align: center;">6846</td> <td style="text-align: center;">---</td> </tr> <tr> <td colspan="2" style="text-align: center;">m/s</td> <td style="text-align: center;">2.7</td> <td style="text-align: center;">2.8</td> <td style="text-align: center;">2.7</td> <td style="text-align: center;">2.7</td> <td style="text-align: center;">---</td> </tr> <tr> <td colspan="2"></td> <td style="text-align: center;">24.1</td> <td style="text-align: center;">23.6</td> <td style="text-align: center;">23.4</td> <td style="text-align: center;">23.7</td> <td style="text-align: center;">---</td> </tr> </table>							%		2.77	2.80	2.78	2.78	---	m ³ /h		6754	7014	6771	6846	---	m/s		2.7	2.8	2.7	2.7	---			24.1	23.6	23.4	23.7	---
						GB 16297-1996 2																																																								
mg/m ³		<20	<20	<20	<20	120																																																								
kg/h		/	/	/	/	14.5																																																								
<table border="1" style="width: 100%; height: 100%;"> <tr> <td colspan="2" style="text-align: center;">%</td> <td style="text-align: center;">2.77</td> <td style="text-align: center;">2.80</td> <td style="text-align: center;">2.78</td> <td style="text-align: center;">2.78</td> <td style="text-align: center;">---</td> </tr> <tr> <td colspan="2" style="text-align: center;">m³/h</td> <td style="text-align: center;">6754</td> <td style="text-align: center;">7014</td> <td style="text-align: center;">6771</td> <td style="text-align: center;">6846</td> <td style="text-align: center;">---</td> </tr> <tr> <td colspan="2" style="text-align: center;">m/s</td> <td style="text-align: center;">2.7</td> <td style="text-align: center;">2.8</td> <td style="text-align: center;">2.7</td> <td style="text-align: center;">2.7</td> <td style="text-align: center;">---</td> </tr> <tr> <td colspan="2"></td> <td style="text-align: center;">24.1</td> <td style="text-align: center;">23.6</td> <td style="text-align: center;">23.4</td> <td style="text-align: center;">23.7</td> <td style="text-align: center;">---</td> </tr> </table>							%		2.77	2.80	2.78	2.78	---	m ³ /h		6754	7014	6771	6846	---	m/s		2.7	2.8	2.7	2.7	---			24.1	23.6	23.4	23.7	---																												
%		2.77	2.80	2.78	2.78	---																																																								
m ³ /h		6754	7014	6771	6846	---																																																								
m/s		2.7	2.8	2.7	2.7	---																																																								
		24.1	23.6	23.4	23.7	---																																																								
<div style="text-align: center;">  </div>																																																														

A2240582112102C01

50

79

36

3-7#		25m	
2024-10-24		2024-10-24~2024-10-26	

GB 14554-

1993


2

A2240582112102C01

51

79

37

3-8#						25m
2024-10-24						2024-10-24~2024-11-04
GB 21900-2008 5						
	mg/m ³	ND	ND	ND	ND	200
	kg/h	/	/	/	/	---
	mg/m ³	0.69	0.68	0.66	0.68	30
	kg/h	9.74×10 ⁻³	9.00×10 ⁻³	8.54×10 ⁻³	9.09×10 ⁻³	---
	mg/m ³	4.58	2.60	1.56	2.91	30
	kg/h	0.0646	0.0344	0.0202	0.0397	---
	%	2.31	2.31	2.25	2.29	---
	m ³ /h	14111	13230	12943	13428	---
	m/s	9.6	9.0	8.8	9.1	---
		13.5	13.4	13.3	13.4	---
						

A2240582112102C01

52

79

38

	3-9#		25m
	2024-10-24		2024-10-24~2024-11-04

39

3-10#						25m
2024-10-25						2024-10-25~2024-11-09
						GB 21900-2008 5
	mg/m ³	ND	5	4	3	200
	kg/h	/	0.206	0.163	0.123	---
	mg/m ³	1.10	1.05	1.17	1.11	30
	kg/h	0.0451	0.0433	0.0476	0.0453	---
	mg/m ³	0.22	0.32	0.30	0.28	30
	kg/h	9.01×10 ⁻³	0.0132	0.0122	0.0115	---
	%	3.51	2.97	2.93	3.14	---
m ³ /h		40956	41262	40716	40978	---
	m/s	13.6	13.6	13.4	13.5	---
		22.5	22.1	21.9	22.2	---



40

		2-33#			14m	
		2024-10-25			2024-10-25~2024-10-29	
						GB 16297-1996 2
	mg/m ³	0.46	0.46	0.42	0.45	120
	kg/h	1.21×10 ⁻³	1.28×10 ⁻³	9.74×10 ⁻⁴	1.15×10 ⁻³	4.36
						DB12/ 524- 2020 1
VOCs 24	mg/m ³	0.0290	0.0100	0.0840	0.0410	40
	kg/h	7.65×10 ⁻⁵	2.78×10 ⁻⁵	1.97×10 ⁻⁴	1.00×10 ⁻⁴	0.523
	%	1.68	1.67	1.64	1.66	---
	m ³ /h	2638	2780	2347	2588	---
	m/s	3.5	3.7	3.1	3.4	---
		27.4	28.3	26.1	27.3	---



CTI
时间: 2024.10.25 17:05
地点: 吉水县·景旺电子

A2240582112102C01


55

79

41

		3-1#1 DVCP+1 PTH		25m		
		2024-10-24		2024-10-24~2024-11-09		
						GB 21900-2008 5
	mg/m ³	3	4	7	5	200
	kg/h	0.0585	0.0798	0.136	0.0914	---
	mg/m ³	0.34	0.34	0.30	0.33	30
	kg/h	6.63×10^{-3}	6.78×10^{-3}	5.85×10^{-3}	6.42×10^{-3}	---
	%	3.17	3.22	3.15	3.18	---
	m ³ /h	19488	19946	19499	19644	---
	m/s	8.6	8.8			

42

		3-2#1	DVCP+1	PTH	25m	
		2024-10-24		2024-10-24~2024-11-09		
GB 21900-2008 5						
	mg/m ³	ND	3	5	3	200
	kg/h	/	0.0484	0.0787	0.0469	---
	mg/m ³	0.27	0.47	0.32	0.35	30
	kg/h	4.06×10 ⁻³	7.58×10 ⁻³	5.04×10 ⁻³	5.56×10 ⁻³	---
	%	3.38	3.21	3.27	3.29	---
	m ³ /h	15025	16118	15739	15627	---
	m/s	4.2	4.5	4.4	4.4	---
		25.7	25.8	25.8	25.8	---
						

A2240582112102C01

57

79

43

3-3#				25m			
2024-10-24				2024-10-24~2024-11-09			
						GB 21900-2008 5	
	mg/m ³	ND	ND	3	ND	200	
	kg/h	/	/	0.0344	/	---	
	mg/m ³	1.21	0.52	1.59	1.11	30	
	kg/h	0.0146	6.36×10 ⁻³	0.0182	0.0131	---	
	mg/m ³	0.21	0.26	0.24	0.24	30	
	kg/h	2.53×10 ⁻³	3.18×10 ⁻³	2.75×10 ⁻³	2.82×10 ⁻³	---	
	%	3.27	3.12	3.17	3.19	---	
	m ³ /h	12033	12229	11475	11912	---	
	m/s	6.5	6.6	6.2	6.4	---	
		17.3	17.4	17.5	17.4	---	



45

		3-11# +			25m	
		2024-10-24			2024-10-24~2024-10-29	
						GB 16297-1996 2
	mg/m ³	0.64	1.68	1.36	1.23	120
	kg/h	5.84×10 ⁻³	0.0161	0.0130	0.0116	35.0
						DB12/ 524- 2020 1
VOCs 24	mg/m ³	0.148	0.0890	0.0640	0.100	40
	kg/h	1.35×10 ⁻³	8.53×10 ⁻⁴	6.14×10 ⁻⁴	9.39×10 ⁻⁴	7.65
	%	2.79	2.79	2.78	2.79	---
	m ³ /h	9130	9581	9590	9434	---
	m/s	4.1	4.3	4.3	4.2	---
		28.1	27.9	27.6	27.9	---





A2240582112102C01



60



79



A2240582112102C01

61

79

46

	3-12#	25m
	2024-10-24	2024-10-24~2024-10-29

						GB 16297-1996 2
	mg/m ³	0.94	1.13	0.99	1.02	120
	kg/h	0.0103	0.0124	0.0104	0.0110	35.0
						DB12/ 524- 2020 1
VOCs 24	mg/m ³	0.115	0.109	0.0690	0.0977	40
	kg/h	1.27×10 ⁻³	1.19×10 ⁻³	7.26×10 ⁻⁴	1.06×10 ⁻³	7.65
	%	4.08	4.06	3.99	4.04	---
	m ³ /h	11003	10942	10516	10820	---
	m/s	14.9	14.8	14.2	14.6	---
		27.2	26.9	26.6	26.9	---






A2240582112102C01



62




A2240582112102C01

63

79

47


		3-13#			25m	
		2024-10-25			2024-10-25~2024-10-26	
						GB 14554-1993 2
	mg/m ³	3.13	4.71	2.98	3.61	---
	kg/h	0.0134	0.0206	0.0126	0.0155	14
	%	3.99	4.25	4.19	4.14	---
	m ³ /h	4274	4368	4237	4293	---
	m/s	5.7	5.9	5.7	5.8	---
		24.1	26.1	24.8	25.0	---
						

A2240582112102C01

64

79

48

		3-14#			25m	
		2024-10-24			2024-10-24~2024-11-09	
						GB 21900-2008 5
	mg/m ³	0.51	0.58	0.63	0.57	30
	kg/h	0.0129	0.0146	0.0156	0.0144	---
	mg/m ³	0.32	0.39	0.51	0.41	30
	kg/h	8.12×10^{-3}	9.80×10^{-3}	0.0127	0.0102	---
	%	3.52	3.41	3.47	3.47	---
	m ³ /h	25379	25139	24841	25120	---
	m/s	9.2	9.1	9.0	9.1	---
		22.2	22.0	21.9	22.0	---
						

A2240582112102C01

65

79

49


2-48#					15m	
					1.5t/h	
2024-10-25					2024-10-25~2024-10-29	
						GB 13271-2014 2
	mg/m ³	1.3	1.2	1.3	1.3	---
	mg/m ³	1.5	1.1	1.3	1.3	20
	kg/h	9.63×10 ⁻⁴	9.42×10 ⁻⁴	1.03×10 ⁻³	9.78×10 ⁻⁴	---

A2240582112102C01

66

79

50

2-46#		1#			15m	
					2.0t/h	
2024-10-25					2024-10-25~2024-10-29	
GB 13271-2014 2						
	mg/m ³	1.2	1.4	1.3	1.3	---
	mg/m ³	1.1	1.3	1.2	1.2	20
	kg/h	1.58×10 ⁻³	1.85×10 ⁻³	1.78×10 ⁻³	1.74×10 ⁻³	---
	mg/m ³	ND	ND	ND	ND	---
	mg/m ³	ND	ND	ND	ND	50
	kg/h	/	/	/	/	---
	mg/m ³	140	129	133	134	---
	mg/m ³	132	124	126	127	200
	kg/h	0.186	0.175	0.179	0.180	---
m ³ /h	%	2.3	2.8	2.6	2.6	---
	%	13.10	13.26	13.13	13.16	---
		1328	1355	1343	1342	---
	m/s	8.0	8.2	8.2	8.1	---
		88.3	89.1	92.7	90.0	---
	%	3.5				---
						



A2240582112102C01

68

79

52

	2-49#		15m
			4.0t/h
	2024-10-25		2024-10-25~2024-10-29

GB 13271-
2014
2

53

1-32#						15m
						1.5t/h
2024-10-23						2024-10-23~2024-10-29
						GB 13271-2014 2
	mg/m ³	1.2	1.1	1.2	1.2	---
	mg/m ³	1.1	1.1	1.1	1.1	20
	kg/h	1.49×10 ⁻³	1.30×10 ⁻³	1.51×10 ⁻³	1.43×10 ⁻³	---
	mg/m ³	ND	ND	ND	ND	---
	mg/m ³	ND	ND	ND	ND	50
	kg/h	/	/	/	/	---
	mg/m ³	11	24	33	23	---
	mg/m ³	10	25	30	22	200
	kg/h	0.0136	0.0292	0.0418	0.0282	---
	%	1.5	4.2	1.7	2.5	---
	%	20.17	20.02	20.12	20.10	---
m ³ /h		1237	1217	1268	1241	---
	m/s	4.4	4.3	4.5	4.4	---
		77.9	76.2	76.9	77.0	---
	%	3.5				---






A2240582112102C01



70



79





A2240582112102C01



71



79

55



2-48#




A2240582112102C01

72

79

56


	2-46#	1#	15m
	2024-10-25		
			GB 13271-2014 2
		1	1
		1	1
		1	1
			

A2240582112102C01

73

79

57

2-47#		2#	15m
2024-10-25			
			GB 13271-2014 2
		1	1
		1	1
		1	1
			



A2240582112102C01



74



79

58

	2-49#		15m
	2024-10-25		

A2240582112102C01

75

79

59


	1-32#		15m
	2024-10-23		
		GB 13271-2014	
		2	
		1	1
		1	1
		1	1



A2240582112102C01



76



79

60



61

			2	
		HJ 1182-2021		
		32	0.007	
		HJ 776-2015	mg/L	Avio 550 Max
		BOD HJ 505-2009	0.5	
			mg/L	4010-1W
		65	0.00004	
		HJ 700-2014	mg/L	ICP-MS NexION2000
		GB/T 7475-1987	0.05	
			mg/L	AAS AA7000F
pH		pH HJ 1147-2020	/	pH SX811
		GB/T 11901-1989	4	
			mg/L	AUW220D
		HJ 828-2017	4	
			mg/L	Continuous RS
CN ⁻		HJ 484-2009 3	0.001	
			mg/L	UV UV-7504
N		HJ 535-2009	0.025	
			mg/L	UV UV-7504
		HJ 636-2012	0.05	
			mg/L	UV UV-7504
P		GB/T 11893-1989	0.01	
			mg/L	UV UV-7504
		HJ 637-2018	0.06	
			mg/L	JLBG-126U



A2240582112102C01

79

79

			1.0 mg/m ³	SECURA125-1-CN
		HJ 836-2017		
			3 mg/m ³	ZR-3260D
		HJ 693-2014		
			3 mg/m ³	ZR-3260D
		HJ 57-2017		